



valvole d'arredo e detentori
fitting valves and lockshield



Arreda Valvole&Detentori Arreda Valves&Lockshields

Arreda	50
Arreda Termo Top	53
Arreda Old	56
Arreda Dream	58
Arreda Dream Reversa	63
Arreda Angolo	65
Arreda Compact	67
Arreda Square	69
Arreda Retrò	70
Arreda Green	70



**Valvole d'arredo
per il riscaldamento.**

Valves for heating.



CARATTERISTICHE TECNICHE

- Realizzate in ottone OT58
- Attacchi tubo rame, tubo ferro e polietilene
- Codolo di raccordo $\varnothing$ 1/2" e 3/8"
- Vitone asta fissa
- Tubo rame $\varnothing$ 10/12/14/15/16 mm
- Basse perdite di carico
- Copertura assicurativa "responsabilità civile"
- Pressione massima di utilizzo 12 bar


SPECIFICATIONS

- Made of brass OT58
- Copper, iron, polyethylene connections
- Insert $\varnothing$ 1/2" - 3/8"
- Spindle with fixed rod
- Copper connection $\varnothing$ 10/12/14/15/16 mm
- Low load loss
- "Tort liability" insurance policy
- Maximum working pressure 12 bar


COLORI/COLORS

- Giallo/Yellow - Ral 1023
- Cromo/Chrome
- Oro/Gold
- Oro Flash/ Flash Gold
- Bianco/White - Ral 9010
- Avorio/Ivory - Ral 1015
- Rosso/Red - Ral 3000
- Verde/Green - Ral 6029
- Blu/Blue - Ral 5017
- Viola/Violet - Ral 4005
- Nero/Black - Ral 9005

Altri Colori Su Richiesta
Other Colours Upon Request



Valvola squadra Arreda
Angled valve Arreda



Valvola diritta Arreda
Straight valve Arreda

DIMENSIONI DI INGOMBRO - OVERALL DIMENSIONS

	A	B	C	D
Valvola squadra Arreda - attacco tubo rame Angle valve Arreda with copper connection	86	34	56	73
Valvola squadra Arreda - attacco tubo ferro Angle valve Arreda with iron connection	79	27	56	73
Detentore squadra - attacco tubo rame Standard lockshield with copper connection	79	34	56	70
Detentore squadra Arreda - attacco tubo rame Standard lockshield with iron connection	72	27	56	70
	E	F	G	H
Valvola diritta Arreda - attacco tubo rame Straight valve Arreda with copper connection	70	16,5	56	90
Valvola diritta Arreda - attacco tubo ferro Straight valve Arreda with iron connection	70	16,5	56	83
Detentore dritto - attacco tubo rame Standard lockshield with copper connection	62	16,5	56	90
Detentore dritto Arreda - attacco tubo rame Standard lockshield with iron connection	62	16,5	56	83



Art. **A 1300**



Valvola a squadra
attacco per tubo ferro

Angle valve with
iron connection



Disponibile codolo
con tenuta in gomma
Available with rubber
sealing insert

A 1300	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	
Codolo con tenuta in gomma Rubber sealing insert			

Art. **A 1320**



Valvola diritta
attacco per tubo ferro

Straight valve with
iron connection



Disponibile codolo
con tenuta in gomma
Available with rubber
sealing insert

A 1320	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	
Codolo con tenuta in gomma Rubber sealing insert			

Art. **A 1340**



Valvola a squadra
attacco 24/19"
per tubo rame,
multistrato e plastica

Angle valve with copper,
multi coating or plastic
24/19" connection



Disponibile codolo
con tenuta in gomma
Available with rubber
sealing insert

A 1340	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	
Codolo con tenuta in gomma Rubber sealing insert			

Art. **A 1360**



Valvola diritta
attacco 24/19"
per tubo rame,
multistrato e plastica

Straight valve with copper,
multi coating or plastic
24/19" connection



Disponibile codolo
con tenuta in gomma
Available with rubber
sealing insert

A 1360	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	
Codolo con tenuta in gomma Rubber sealing insert			

Art. **A 1310**

Detentore a squadra
attacco per tubo ferro

Angle lockshield
with iron connection



Disponibile codolo
con tenuta in gomma

Available with rubber
sealing insert

A 1310	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	
Codolo con tenuta in gomma Rubber sealing insert			

Art. **A 1330**

Detentore diritto
attacco per tubo ferro

Straight lockshield
with iron connection



Disponibile codolo
con tenuta in gomma

Available with rubber
sealing insert

A 1330	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	
Codolo con tenuta in gomma Rubber sealing insert			

Art. **A 1350**

Detentore a squadra
attacco 24/19"
per tubo rame,
multistrato e plastica

Angle lockshield
with copper,
multi coating or plastic
24/19" connection



Disponibile codolo
con tenuta in gomma

Available with rubber sealing insert

A 1350	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	
Codolo con tenuta in gomma Rubber sealing insert			

Art. **A 1370**

Detentore diritto
attacco 24/19"
per tubo rame,
multistrato e plastica

Straight lockshield with
copper, multi coating or
plastic 24/19" connection



Disponibile codolo
con tenuta in gomma

Available with rubber sealing insert

A 1370	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	
Codolo con tenuta in gomma Rubber sealing insert			



Valvole d'arredo
 termostattizzabili.

Thermostating valves.



CARATTERISTICHE TECNICHE


- Realizzate in ottone OT58
- Attacchi tubo rame, tubo ferro, tubo polietilene e multistrato
- Codolo di raccordo $\varnothing$ 1/2" e 3/8"
- Vitone rame $\varnothing$ 10/12/14/15/16 mm
- Rumorosità ridotta
- Basse perdite di carico
- Copertura assicurativa "responsabilità civile"
- Pressione massima di utilizzo 12 bar

Colori come per i modelli Arreda (Pag. 48)


TESTE TERMOSTATICHE DATI TECNICI e CARATTERISTICHE

• Isteresi	0,25 °k
• Influsso temperatura acqua	0,77/30 k
• Influsso di variazione pressione	0,31 k
• Tempo di chiusura	20 min.

- Normative di riferimento: DIN EN 215
- Ghiera filettata M 30 x 1,5 per accoppiamento al corpo valvola
- Funzionamento silenzioso
- Elevata precisione di controllo
- Manopola di regolazione al cromo
- Scala con posizione antigelo



Valvola squadra / Angled valve



Valvola diritta / Straight valve

SPECIFICATIONS

- Made of brass OT58
- Copper, iron, polyethylene and multi-coated connections
- Insert $\varnothing$ 1/2" - 3/8"
- Copper connection $\varnothing$ 10/12/14/15/16 mm
- Reduced noisiness
- Low load loss
- "Tort liability" insurance policy
- Maximum working pressure 12 bar

Colors available for the Arreda models (Pag. 48)

THERMOSTATIC HEADS TECHNICAL DATA and SPECIFICATIONS

• Hysteresis	0,25 °k
• Influence of heating medium	0,77/30 k
• Influence of differential pressure	0,31 k
• Closing period	20 min.

- Tested to the EN 215 Part 1 European standard
- Chrome-plated adjuster knob dome
- Adjuster knob with markings
- Setting range 7-27°C
- High control accuracy
- Frost protection marking ★ at 7°C

DIMENSIONI DI INGOMBRO - OVERALL DIMENSIONS

	A	B	C	D
Valvola squadra Arreda Termo Top - attacco tubo rame Angle valve Arreda Termo Top with copper connection	102	34	56	73
Valvola squadra Arreda Termo Top - attacco tubo ferro Angle valve Arreda Termo Top with iron connection	95	27	56	73
	E	F	G	H
Valvola diritta Arreda Termo Top - attacco tubo rame Straight valve Arreda Termo Top with copper connection	79	16,5	56	90
Valvola diritta Arreda Termo Top - attacco tubo ferro Straight valve Arreda Termo Top with iron connection	79	16,5	56	83

Art. **ATT 1500**

Valvola a squadra
termostattizzabile
attacco per tubo ferro

Angle thermostating
valve with iron
connection



Disponibile codolo
con tenuta in gomma
Available with rubber
sealing insert

ATT 1500	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	

Codolo con tenuta in gomma
Rubber sealing insert

Art. **ATT 1520**

Valvola diritta
termostattizzabile
attacco per tubo ferro

Straight thermostating
valve with iron
connection



Disponibile codolo
con tenuta in gomma
Available with rubber
sealing insert

ATT 1520	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	

Codolo con tenuta in gomma
Rubber sealing insert

Art. **ATT 1540**

Valvola a squadra
termostattizzabile
attacco 24/19"
per tubo rame,
multistrato e plastica

Angle thermostating
valve with copper,
multi coating or plastic
24/19" connection



Disponibile codolo
con tenuta in gomma
Available with rubber sealing insert

ATT 1540	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	

Codolo con tenuta in gomma
Rubber sealing insert

Art. **ATT 1560**

Valvola diritta
termostattizzabile
attacco 24/19"
per tubo rame,
multistrato e plastica

Straight thermostating
valve with copper,
multi coating or plastic
24/19" connection



Disponibile codolo
con tenuta in gomma
Available with rubber sealing insert

ATT 1560	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	

Codolo con tenuta in gomma
Rubber sealing insert

Art. A 1310



Detentore a squadra
attacco per tubo ferro

Angle lockshield
with iron connection



Disponibile codolo
con tenuta in gomma

Available with rubber
sealing insert

A 1310	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	

Codolo con tenuta in gomma
Rubber sealing insert

Art. A 1330



Detentore diritto
attacco per tubo ferro

Straight lockshield
with iron connection



Disponibile codolo
con tenuta in gomma

Available with rubber
sealing insert

A 1330	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	

Codolo con tenuta in gomma
Rubber sealing insert

Art. A 1350



Detentore a squadra
attacco 24/19"
per tubo rame,
multistrato e plastica

Angle lockshield
with copper,
multi coating or plastic
24/19" connection



Disponibile codolo
con tenuta in gomma

Available with rubber
sealing insert

A 1350	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	

Codolo con tenuta in gomma
Rubber sealing insert

Art. A 1370



Detentore diritto
attacco 24/19"
per tubo rame,
multistrato e plastica

Straight lockshield
with copper,
multi coating or plastic
24/19" connection



Disponibile codolo
con tenuta in gomma

Available with rubber sealing insert

A 1370	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	

Codolo con tenuta in gomma
Rubber sealing insert




**Valvole d'arredo
per il riscaldamento
in stile "Old Fashion".**

*Valves for heating,
"Old Fashion" style.*




CARATTERISTICHE TECNICHE

- Realizzate in ottone OT58
- Attacchi tubo rame, tubo ferro e polietilene
- Codolo di raccordo $\varnothing$ 1/2" e 3/8"
- Vitone asta fissa
- Tubo rame $\varnothing$ 10/12/14/15/16 mm
- Basse perdite di carico
- Copertura assicurativa "responsabilità civile"
- Pressione massima di utilizzo 12 bar



Arreda Old
Valvola/detentore squadra
Angle valve/standard lockshield



Arreda Old
Valvola/detentore diritta
Straight valve/lockshield

SPECIFICATIONS

- Made of brass OT58
- Copper, iron, polyethylene connections
- Insert $\varnothing$ 1/2" - 3/8"
- Spindle with fixed rod
- Copper connection $\varnothing$ 10/12/14/15/16 mm
- Low load loss
- "Tort liability" insurance policy
- Maximum working pressure 12 bar

DIMENSIONI DI INGOMBRO - OVERALL DIMENSIONS

	A	B	C	D
Valvola squadra Arreda Old - attacco tubo rame Angle valve Arreda Old with copper connection	106	34	56	88
Valvola squadra Arreda Old - attacco tubo ferro Angle valve Arreda Old with iron connection	99	27	56	88
	E	F	G	H
Valvola diritta Arreda Old - attacco tubo rame Straight valve Arreda Old with copper connection	90	16,5	56	90
Valvola diritta Arreda Old - attacco tubo ferro Straight valve Arreda Old with iron connection	90	16,5	56	89

COLORI /COLORS

- Oro/Gold
- Cromo/Chrome
- Oro Flash/ Flash Gold
- Rame/Copper
- Bronzo/Bronze

Altri colori su richiesta
 Other colours upon request



Art. **AO 1400**



Valvola / Detentore
a squadra
attacco per tubo ferro

Angle valve / lockshield
with iron connection



Disponibile codolo
con tenuta in gomma
Available with rubber
sealing insert

AO 1400	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	
Codolo con tenuta in gomma Rubber sealing insert			

Art. **AO 1420**



Valvola / Detentore
diritta attacco
per tubo ferro

Straight valve / lockshield
with iron connection



Disponibile codolo
con tenuta in gomma
Available with rubber
sealing insert

AO 1420	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	
Codolo con tenuta in gomma Rubber sealing insert			

Art. **AO 1440**



Valvola / Detentore
a squadra attacco 24/19"
per tubo rame,
multistrato e plastica

Angle valve / lockshield with
copper, multi coating or
plastic 24/19" connection



Disponibile codolo
con tenuta in gomma
Available with rubber
sealing insert

AO 1440	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	
Codolo con tenuta in gomma Rubber sealing insert			

Art. **AO 1460**



Valvola / Detentore
diritta attacco 24/19"
per tubo rame,
multistrato e plastica

Straight valve / lockshield
with copper,
multi coating or plastic
24/19" connection



Disponibile codolo
con tenuta in gomma
Available with rubber sealing insert

AO 1460	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	
Codolo con tenuta in gomma Rubber sealing insert			



**Valvole d'arredo
per il
riscaldamento.**

**Valves
for heating.**



Maniglia quadra
Square handle

La linea Arreda per il riscaldamento si arricchisce costantemente di nuovi modelli ad avanzata tecnologia e dal design rinnovato.


The Arreda heating line is constantly enlarged with state-of-the art and newly designed models.

La serie Arreda Dream è completa di modelli termostattizzabili e reversa.


The Arreda Dream series includes thermostating and reverse models.

DIMENSIONI DI INGOMBRO - OVERALL DIMENSIONS


AD 1640




AD 1660




ADT 1740




ADT 1760




AD 1650




AD 1670



ADX 1820



ADX 1830



Art. AD 1600



Valvola a squadra
attacco per tubo ferro

Angle valve with
iron connection



Disponibile codolo
con tenuta in gomma
Available with rubber
sealing insert

AD 1600	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Cromo Satinato/Chrome Satin	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
Rame-Bronzo/Copper-Bronze			1
Codolo con tenuta in gomma Rubber sealing insert			

Art. AD 1620



Valvola diritta
attacco per tubo ferro

Straight valve with
iron connection



Disponibile codolo
con tenuta in gomma
Available with rubber
sealing insert

AD 1620	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Cromo Satinato/Chrome Satin	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
Rame-Bronzo/Copper-Bronze			1
Codolo con tenuta in gomma Rubber sealing insert			

Art. AD 1640



Valvola a squadra
attacco 24/19"
per tubo rame,
multistrato e plastica

Angle valve with copper,
multi coating or plastic
24/19" connection



Disponibile codolo
con tenuta in gomma
Available with rubber
sealing insert

AD 1640	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Cromo Satinato/Chrome Satin	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
Rame-Bronzo/Copper-Bronze			1
Codolo con tenuta in gomma Rubber sealing insert			

Art. AD 1660



Valvola diritta
attacco 24/19"
per tubo rame,
multistrato e plastica

Straight valve with copper,
multi coating or plastic
24/19" connection



Disponibile codolo
con tenuta in gomma
Available with rubber sealing insert

AD 1660	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Cromo Satinato/Chrome Satin	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
Rame-Bronzo/Copper-Bronze			1
Codolo con tenuta in gomma Rubber sealing insert			

Art. **ADT 1700**Valvola a squadra
termostaticabile
attacco per tubo ferroAngle thermostating
valve with iron
connectionDisponibile codolo
con tenuta in gommaAvailable with rubber
sealing insert

ADT 1700	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Cromo Satinato/Chrome Satin	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	

Codolo con tenuta in gomma
Rubber sealing insertArt. **ADT 1720**Valvola diritta
termostaticabile
attacco per tubo ferroStraight thermostating
valve with iron
connectionDisponibile codolo
con tenuta in gommaAvailable with rubber
sealing insert

ADT 1720	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Cromo Satinato/Chrome Satin	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	

Codolo con tenuta in gomma
Rubber sealing insertArt. **ADT 1740**Valvola a squadra
termostaticabile
attacco 24/19"
per tubo rame,
multistrato e plasticaAngle thermostating
valve with copper,
multi coating or plastic
24/19" connectionDisponibile codolo
con tenuta in gommaAvailable with rubber
sealing insert

ADT 1740	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Cromo Satinato/Chrome Satin	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	

Codolo con tenuta in gomma
Rubber sealing insertArt. **ADT 1760**Valvola diritta
termostaticabile
attacco 24/19"
per tubo rame,
multistrato e plasticaStraight thermostating
valve with copper,
multi coating or plastic
24/19" connectionDisponibile codolo
con tenuta in gomma

Available with rubber sealing insert

ADT 1760	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Cromo Satinato/Chrome Satin	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	

Codolo con tenuta in gomma
Rubber sealing insert

Art. AD 1610



Detentore a squadra
attacco per tubo ferro

Angle lockshield
with iron connection



Disponibile codolo
con tenuta in gomma

Available with rubber
sealing insert

AD 1610	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Cromo Satinato/Chrome Satin	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	
Codolo con tenuta in gomma Rubber sealing insert			

Art. AD 1630



Detentore diritto
attacco per tubo ferro

Straight lockshield
with iron connection



Disponibile codolo
con tenuta in gomma

Available with rubber
sealing insert

AD 1630	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Cromo Satinato/Chrome Satin	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	
Codolo con tenuta in gomma Rubber sealing insert			

Art. AD 1650



Detentore a squadra
attacco 24/19"
per tubo rame,
multistrato e plastica

Angle lockshield
with copper,
multi coating or plastic
24/19" connection



Disponibile codolo
con tenuta in gomma

Available with rubber
sealing insert

AD 1650	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Cromo Satinato/Chrome Satin	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	
Codolo con tenuta in gomma Rubber sealing insert			

Art. AD 1670



Detentore diritto
attacco 24/19"
per tubo rame,
multistrato e plastica

Straight lockshield
with copper,
multi coating or plastic
24/19" connection



Disponibile codolo
con tenuta in gomma

Available with rubber sealing insert

AD 1670	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Cromo Satinato/Chrome Satin	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	
Codolo con tenuta in gomma Rubber sealing insert			

Art. **ADX 1800**

Valvola / Detentore
a squadra attacco per
tubo ferro

Angle valve / lockshield
with iron connection



Disponibile codolo
con tenuta in gomma

Available with rubber
sealing insert

ADX 1800	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Cromo Satinato/Chrome Satin	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	
Codolo con tenuta in gomma Rubber sealing insert			

Art. **ADX 1820**

Valvola / Detentore diritta
attacco per tubo ferro

Straight valve /
lockshield with
iron connection



Disponibile codolo
con tenuta in gomma

Available with rubber
sealing insert

ADX 1820	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Cromo Satinato/Chrome Satin	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	
Codolo con tenuta in gomma Rubber sealing insert			

Art. **ADX 1840**

Valvola / Detentore a
squadra attacco 24/19"
per tubo rame,
multistrato e plastica

Angle valve / lockshield
with copper,
multi coating or plastic
24/19" connection



Disponibile codolo
con tenuta in gomma

Available with rubber
sealing insert

ADX 1840	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Cromo Satinato/Chrome Satin	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	
Codolo con tenuta in gomma Rubber sealing insert			

Art. **ADX 1860**

Valvola/ Detentore
diritta attacco 24/19"
per tubo rame,
multistrato e plastica

Straight valve / lockshield
with copper, multi coating
or plastic
24/19" connection



Disponibile codolo
con tenuta in gomma

Available with rubber sealing insert

ADX 1860	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Cromo Satinato/Chrome Satin	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	
Codolo con tenuta in gomma Rubber sealing insert			



La serie Arreda Dream è disponibile nella nuova versione **Reversa**, che consente l'installazione con un ingombro minimo.

*The Arreda Dream line is also available in the new **Reverse** version, to minimise the installation space.*



CARATTERISTICHE TECNICHE

- Realizzate in ottone OT58
- Attacchi tubo rame, tubo ferro tubo polietilene e multistrato
- Codolo di raccordo ø 1/2" e 3/8"
- Vitone asta fissa doppia tenuta
- Rumorosità ridotta
- Basse perdite di carico
- Copertura assicurativa "responsabilità civile"
- Pressione massima di utilizzo 12 bar

SPECIFICATIONS

- Made of brass OT58
- Copper, iron, polyethylene and multi-coated connections
- Insert ø 1/2" - 3/8"
- Spindle with fixed rod - double seal
- Reduced noisiness
- Low load loss
- "Tort liability" insurance policy
- Maximum working pressure 12 bar

COLORI/COLORS

- Cromo/Chrome
- Oro/Gold
- Cromo-oro/Chrome-gold
- Cromo Satinato/Matt Chrome
- Color-oro/Color-gold
- Rame/Copper
- Bronzo/Bronze
- Bianco/White - Ral 9010
- Avorio/Ivory - Ral 1015
- Giallo/Yellow - Ral 1023
- Rosso/Red - Ral 3000
- Verde/Green - Ral 6029
- Blu/Blue - Ral 5017
- Viola/Violet - Ral 4005
- Nero/Black - Ral 9005

Altri colori su richiesta
Other colours upon request

Art. **ADR 1680**

Valvola reversa
attacco 24/19"
per tubo rame,
multistrato e plastica

Reverse valve
with copper,
multi coating or plastic
24/19" connection



Disponibile codolo
con tenuta in gomma

Available with rubber
sealing insert

ADR 1680	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Cromo Satinato/Chrome Satin	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	
Codolo con tenuta in gomma Rubber sealing insert			

Art. **ADR 1690**

Detentore reverso
attacco 24/19"
per tubo rame,
multistrato e plastica

Reverse lockshield
with copper,
multi coating or plastic
24/19" connection



Disponibile codolo
con tenuta in gomma

Available with rubber
sealing insert

ADR 1690	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Cromo Satinato/Chrome Satin	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	
Codolo con tenuta in gomma Rubber sealing insert			

Art. **ADTR 1790**

Valvola reversa
termostattizzabile
attacco 24/19"
per tubo rame,
multistrato e plastica

Thermostating "reverse"
valve with copper,
multi coating or plastic
24/19" connection



Disponibile codolo
con tenuta in gomma

Available with rubber
sealing insert

ADTR 1790	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Cromo Satinato/Chrome Satin	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
Codolo con tenuta in gomma Rubber sealing insert			

Art. **ADXR 1890**

Valvola / detentore
reversa attacco 24/19"
per tubo rame,
multistrato e plastica

"Reverse" valve and
lockshield with copper,
multi coating or plastic
24/19" connection



Disponibile codolo
con tenuta in gomma

Available with rubber sealing insert

ADXR 1890	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Cromo Satinato/Chrome Satin	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	
Codolo con tenuta in gomma Rubber sealing insert			



Grande novità della serie Arreda è costituita dalla versione **ANGOLO**.
Un ulteriore passo avanti per ridurre al minimo lo spazio d'installazione.

*There is a new entry in the Arreda line.
It's the **ANGOLO** version,
created to take a further step to minimize
the installation space.*



CARATTERISTICHE TECNICHE

- Realizzate in ottone OT58
- Attacchi tubo rame, tubo ferro
tubo polietilene e multistrato
- Codolo di raccordo $\varnothing$ 1/2" e 3/8"
- Vitone asta fissa doppia tenuta
- Rumorosità ridotta
- Basse perdite di carico
- Copertura assicurativa
"responsabilità civile"
- Pressione massima di utilizzo 12 bar

SPECIFICATIONS

- Made of brass OT58
- Copper, iron, polyethylene and
multi-coated connections
- Insert $\varnothing$ 1/2" - 3/8"
- Spindle with fixed rod - double seal
- Reduced noisiness
- Low load loss
- "Tort liability" insurance policy
- Maximum working pressure 12 bar

COLORI/COLORS

- Cromo/Chrome
- Oro/Gold
- Cromo-oro/Chrome-gold
- Cromo Satinato/Matt Chrome
- Color-oro/Color-gold
- Rame/Copper
- Bronzo/Bronze
- Bianco/White - Ral 9010
- Avorio/Ivory - Ral 1015
- Giallo/Yellow - Ral 1023
- Rosso/Red - Ral 3000
- Verde/Green - Ral 6029
- Blu/Blue - Ral 5017
- Viola/Violet - Ral 4005
- Nero/Black - Ral 9005

Altri colori su richiesta
Other colours upon request

Versione disponibile valvole **STANDARD "ANGOLO"**
available **STANDARD "ANGOLO"** valves



Art. **AC 1940 ST**

Valvola "Angolo" DX
DX "Angolo" valve
Disponibile anche SX
Also available SX




Art. **AC 1950 ST**

Detentore "Angolo" SX
SX "Angolo" lockshield
Disponibile anche DX
Also available DX



Art. **ACT 1940 ST**

Valvola "Angolo" termostattizzabile DX
DX Thermostating "Angolo" valve
Disponibile anche SX
Also available SX



Art. **AC 1940**

Valvola "Angolo"
attacco 24/19"
per tubo rame,
multistrato e plastica

"Angolo" valve
with copper,
multi coating or plastic
24/19" connection



Disponibile codolo
con tenuta in gomma

Available with rubber
sealing insert

AC 1940

	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Cromo Satinato/Chrome Satin	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	

Codolo con tenuta in gomma
Rubber sealing insert

Art. **AC 1950**

Detentore "Angolo"
attacco 24/19"
per tubo rame,
multistrato e plastica

"Angolo" lockshield
with copper,
multi coating or plastic
24/19" connection



Disponibile codolo
con tenuta in gomma

Available with rubber
sealing insert

AC 1950

	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Cromo Satinato/Chrome Satin	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	

Codolo con tenuta in gomma
Rubber sealing insert

Art. **ACT 1940**

Valvola "Angolo"
termostattizzabile
attacco 24/19"
per tubo rame,
multistrato e plastica

Thermostating "Angolo"
valve with copper,
multi coating or plastic
24/19" connection



Disponibile codolo
con tenuta in gomma

Available with rubber
sealing insert

ACT 1940

	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Cromo Satinato/Chrome Satin	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	

Codolo con tenuta in gomma
Rubber sealing insert

Art. **ACX 1940**

Valvola/detentore
"Angolo" attacco 24/19"
per tubo rame,
multistrato e plastica

"Angolo" valve and
lockshield with copper,
multi coating or plastic
24/19" connection



Disponibile codolo
con tenuta in gomma

Available with rubber sealing insert

ACX 1940

	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Cromo Oro/Chrome Gold	1	
	Cromo Satinato/Chrome Satin	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	

Codolo con tenuta in gomma
Rubber sealing insert



**Valvola e detentore
in un unico corpo.**

**Valve and lockshield
in a single piece.**



CARATTERISTICHE TECNICHE

- Realizzate in ottone OT58
- Attacchi tubo rame, tubo polietilene e multistrato
- Codolo di raccordo $\varnothing$ 1/2" e 3/8"
- Vitone asta fissa doppia tenuta - vitone termostatico
- Rumorosità ridotta
- Basse perdite di carico
- Copertura assicurativa "responsabilità civile"
- Pressione massima di utilizzo 12 bar

SPECIFICATIONS


- Made of brass OT58
- Copper, iron, polyethylene and multi-coated connections
- Insert $\varnothing$ 1/2" - 3/8"
- Double-sealed spindle with fixed stem-thermostatic spindle
- Reduced noise
- Low head loss
- Third party liability insurance
- Maximum working pressure 12 bar

COLORI/COLORS


- Cromo/Chrome
- Oro/Gold
- Cromo-oro/Chrome-gold
- Cromo Satinato/Matt Chrome
- Color-oro/Color-gold
- Rame/Copper
- Bronzo/Bronze
- Bianco/White - Ral 9010
- Avorio/Ivory - Ral 1015
- Giallo/Yellow - Ral 1023
- Rosso/Red - Ral 3000
- Verde/Green - Ral 6029
- Blu/Blue - Ral 5017
- Viola/Violet - Ral 4005
- Nero/Black - Ral 9005

Altri colori su richiesta
 Other colours upon request

COMPACT



COMPACT TERM



Art. **CO 3000**

Valvola/detentore
"Compact" sabbiata
attacco 24/19"
per tubo rame,
multistrato e polietilene
Interasse 50 mm.

Disponibile anche con by pass

"Compact"
valve/lockshield with
copper, multi coating
and PE, 24/19" connection
Centre to centre
distance 50 mm.

Available also with by pass

CO 3000	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	

Art. **CO 3010**

Valvola/detentore
"Compact"
termostattabile
sabbiata
attacco 24/19"
per tubo rame,
multistrato e polietilene
Interasse 50 mm.

Disponibile anche con by pass

Thermostating "Compact"
valve/lockshield with
copper, multi coating
and PE, 24/19" connection
Centre to centre distance 50 mm.

Available also with by pass

CO 3010	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	

Art. **CO 3020**

Valvola/detentore
"Arreda Compact"
lucida, attacco 24/19"
per tubo rame,
multistrato e polietilene
Interasse 50 mm.

Disponibile anche con by pass

"Arreda Compact"
valve/lockshield with
copper, multi coating
and PE, 24/19" connection
Centre to centre distance 50 mm.

Available also with by pass

CO 3020	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	

Art. **CO 3030**

Valvola/detentore
"Arreda Compact"
termostattabile
lucida, attacco 24/19"
per tubo rame,
multistrato e polietilene
Interasse 50 mm.

Disponibile anche con by pass

Thermostating "Arreda Compact"
valve/lockshield with copper, multi-
coating
and PE, 24/19" connection
Centre to centre distance 50 mm.

Available also with by pass

CO 3030	Colore Colors	Imballo Pack	€
3/8" 1/2"	Cromo/Chrome	1	
	Color/Color	1	
	Color Oro/Color Gold	1	
	Oro/Gold	1	
	Rame-Bronzo/Copper-Bronze	1	





Valvole d'arredo per il riscaldamento,
dallo stile moderno.

*Design radiator valves with
a modern style.*



Art. **AS 3050**



Valvola a squadra
attacco per tubo rame,
multistrato e ferro

Angle valve with copper,
multilayer and iron pipe
connection

AS 3050	Colore Colors	Imballo Pack	€
1/2"	Cromo/Chrome	1	

Art. **AS 3060**



Detentore a squadra
attacco per tubo rame,
multistrato e ferro

Angle lockshield valve
with copper, multilayer
and iron pipe connection

CO 3060	Colore Colors	Imballo Pack	€
1/2"	Cromo/Chrome	1	

Art. **AS 3070**



Valvola ad angolo
attacco per tubo rame,
multistrato e ferro

Corner valve with copper,
multilayer and iron pipe
connection

CO 3070	Colore Colors	Imballo Pack	€
1/2"	Cromo/Chrome	1	

Art. **AS 3080**



Detentore ad angolo
attacco per tubo rame,
multistrato e ferro

Corner lockshield
with copper, multilayer and
iron pipe connection

CO 3080	Colore Colors	Imballo Pack	€
1/2"	Cromo/Chrome	1	



Valvole d'arredo per il riscaldamento,
dallo stile Retrò.

*Design radiator valves with
a Retrò style.*



Art. **AS 3090**



Valvola a squadra
in ottone brunito
attacco per tubo rame,
multistrato e ferro

Burnished-brass angle valve
with copper, multilayer and
iron pipe connection

AS 3090	Colore Colors	Imballo Pack	€
1/2"	Cromo/Chrome	1	

Art. **AS 3100**



Detentore a squadra
in ottone brunito
attacco per tubo rame,
multistrato e ferro

Burnished-brass angle
lockshield with copper,
multilayer and iron pipe
connection

AS 3100	Colore Colors	Imballo Pack	€
1/2"	Cromo/Chrome	1	



**Speciali valvole d'arredo
con maniglia in legno
per ambienti dal gusto vintage**

**Special furnishing valves
with wooden handle
for environments with a vintage taste**



La prima valvola con maniglia in vero
legno, finitura ad olio;
Corpo in ottone lucidato, non trattato.

The first valve with real wood handle, oil
finished and with untreated polished brass
body.



Castagno - Chestnut



Noce - Hickory



Larice - Larch



Testine Termostatiche Thermostatic heads

Testine termostatiche per valvole
Thermostatic heads for valves

72

Art. **AT 410 - AT 410 CR**

Testina termostatica tipo lusso
con sensore a liquido

Thermostatic head with
liquid dilation sensor

AT 410	Colore Colors	Imballo Pack	€
	Bianco-Cromo/ White-Chrome	1	

AT 410 CR	Colore Colors	Imballo Pack	€
	Cromo/Chrome	1	
	Oro/Gold	1	

Art. **AT 413 - AT 413 CR**

Testina termostatica tipo lusso
con sensore a liquido

Thermostatic head with
liquid dilation sensor

AT 413	Colore Colors	Imballo Pack	€
	Bianco/White	1	

AT 413 CR	Colore Colors	Imballo Pack	€
	Cromo/Chrome	1	

Art. **AT 411 L****AT 411 L**

Testina termostatica con sensore a liquido

Thermostatic head for Arreda with
liquid dilation sensor

AT 411	Imballo Pack	€
L - C	1	

Art. **AT 416****AT 416**

Testina termostatica con sensore a liquido

Thermostatic head with
liquid dilation sensor

AT 416	Imballo Pack	€
L - C	1	

Art. **AT 414**



AT 414
Testina termostatica sottotraccia
con comando sensore a distanza

Thermostatic heads with remote control

AT 414	Imballo Pack	€
	1	

Art. **AT 415**



AT 415
Testina termoelettrica
Thermoelectric head

AT 415S
Testina termoelettrica con attacco rapido
Thermoelectric head with rapid connection

AT 415L
Testina termoelettrica con micro switch
Thermoelectric head with micro switch

AT 415LS
Testina termoelettrica con attacco rapido e
micro switch
Thermoelectric head with rapid connection
and micro switch

AT 415	Imballo Pack	€
	1	


Art. **AT 417**



AT 417
Ripartitore di calore
per contabilizzazione
Heat cost allocator

AT 417	Imballo Pack	€
L - C	5	

DIAGRAMMA TESTINE TERMOSTATICHE - THERMOSTATIC HEAD DIAGRAM



In estate togliere la testina • In estate togliere la testina